Page 1 of 10

# Product Name: egger flex/AB (60 Shore)

REF: 20840, 20841

Date of print: 19.09.2022 Date of last alteration: 19.09.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

egger flex/AB (60 Shore)

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Earmould material for use in audiology.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor:	egger Otoplastik+Labortechnik GmbH
Street/POB-No .:	Aybühlweg 59
Postal code/city/country:	87439 Kempten/Germany
Telephone:	+49 831 58113-60
Telefax:	+49 831 58113-14
Internet:	www.egger.online
E-mail:	sales@egger.online

#### 1.4. Emergency telephone number: +49 89 19240

Emergency number: Munich, Germany, toxicological dep. of the II. Med. Hospital)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

**GB CLP Regulation** Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elementsGB CLP RegulationHazard statementsH412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

P501 Dispose of contents/container to according to local and applicable legislation of dispose of waste.

#### Additional advice on labelling

According to Regulation (EC) 1272/2008, art.1 No. 5 (d) this product as a medical product must not be labelled!

#### 2.3. Other hazards

The mixture contains the following substances fulfilling the vPvB criteria according to UK REACH: Octamethylcyclotetrasiloxane.

Product Name: egger flex/AB (60 Shore)

REF: 20840, 20841

Date of print: 19.09.2022 Date of last alteration: 19.09.2022

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Contains polydimethylsiloxane with functional groups. + fillers and pigment Catalyst: additionally platinum complex compound.

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation	)		
556-67-2	Octamethylcyclotetrasiloxane			< 1 %
	209-136-7	014-018-00-1	01-2119529238-36	
	Flam. Liq. 3, Repr. 2, Aquatic Chronic 1; H226 H361f H410			

Page 2 of 10

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name		Quantity	
	Specific Conc. Limits, M-factors and ATE			
556-67-2	209-136-7 Octamethylcyclotetrasiloxane <1			
inhalation: LC50 = 36 mg/l (vapours); dermal: LD50 = >2400 mg/kg; oral: LD50 = 4800 mg/kg M chron.; H410: M=10				

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do not induce vomiting. If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing mediaSuitable extinguishing mediaCo-ordinate fire-fighting measures to the fire surroundings.

T age

# Product Name: egger flex/AB (60 Shore)

REF: 20840, 20841

Date of print: 19.09.2022 Date of last alteration: 19.09.2022

# **5.2. Special hazards arising from the substance or mixture** Non-flammable.

Non-naminable.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling Advice on safe handling No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Requirements for storage rooms and vessels** Keep container tightly closed.

#### Hints on joint storage

Do not store with acids, lyes, alcohols, metallic powders and metallic oxides (release of hydrogen is favoured).



Product Name: egger flex/AB (60 Shore)

REF: 20840, 20841

Date of print: 19.09.2022 Date of last alteration: 19.09.2022

#### Further information on storage conditions

Keep only in the original container in a cool, dry and well-ventilated place, away from foodstuffs.

#### 7.3. Specific end use(s)

Silicone material for use in audiology. For use by trained specialist staff.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

8.2. Exposure controls Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable are gloves of the following material: NBR (Nitrile rubber).

#### **Skin protection**

Use of protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:PasteColour:base: several, catalyst: transparentOdour:characteristic

		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	> 250 °C	
Flammability		
Solid/liquid:	not determined	
Gas:	not applicable	DIN 51755
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	>100 °C	
Auto-ignition temperature:	400 °C	
Decomposition temperature:	>180 °C	



Page 5 of 10



# Product Name: egger flex/AB (60 Shore)

REF: 20840, 20841

Date of print: 19.09.2022 Date of last alteration: 19.09.2022

pH-Value:	not applicable	
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents	not determined	
Partition coeffient n-octanol/water:	not determined	
Vapour pressure: (at 20 °C)	<10 hPa	
Densitiy (at 20 °C):	1.1 g/cm <sup>3</sup>	DIN 5157
Relative vapour density:	not determined	

### 9.2. Other information Information with regard to physical hazard classes

## Explosive properties

The product is not: Explosive.

#### **Oxidizing properties** The product is not: oxidising.

#### Other safety characteristics

Evaporation rate:not determinedSolid content:not determinedViscosity / dynamic:30000-60000 mPa·s(at 23 °C)R

RHEOSTRESS

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Reacts with : Acids, alkalis, alcohols, powdered metals or metal oxides with release of hydrogen.

#### 10.4. Conditions to avoid

Temperatures > 150°C/ 302 °F.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

In case of thermic decomposition hydrogen is released. At a temperature of approx. 150°C/ 302°F a small amount of formaldehyde can be released by oxidative degradation.

Page 6 of 10



# Product Name: egger flex/AB (60 Shore)

REF: 20840, 20841

Date of print: 19.09.2022 Date of last alteration: 19.09.2022

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition,

a LD50 (orally, species rat) of > 5000 mg/kg has been found.

#### **ATEmix calculated**

ATE (inhalation vapour) 11351.91 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
556-67-2	Octamethylcyclotetrasiloxane				
	oral	LD50 4800 mg/kg	Rat		OECD 401
	dermal	LD50 >2400 mg/kg	Rabbit		OECD 402
	inhalation (4 h) vapour	LC50 36 mg/l	Rat	GESTIS	OECD 403

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
556-67-2	Octamethylcyclotetrasiloxane			
		3,7%	29	
	Not readily biodegradable (according to OECD criteria)			

Page 7 of 10

# Product Name: egger flex/AB (60 Shore)

REF: 20840, 20841

Date of print: 19.09.2022 Date of last alteration: 19.09.2022

### 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the vPvB criteria according to UK REACH: Octamethylcyclotetrasiloxane. The product has not been tested.

Dodecamethylcyclohexasiloxane (D6) fulfills the current criteria set forth under Annex XIII of the EU REACH Regulation for very persistent and very bioaccumulative substances (vPvB) and was included in the candidate list of substances of very high concern (SVHC). According to our knowledge of the state of the art, however, D6 cannot be compared with known persistent, bioaccumulative and toxic (PBT) and/or vPvB substances. The interpretation of the available data by the silicone industry reveals that scientific evidence obtained from field tests essentially points out that D6 does not lead to biomagnification in aquatic and terrestrial food chains. In air, D6 is decomposed by naturally occurring processes in the atmosphere. D-residues which do not decompose in this way in the air are not expected to accumulate from the air in water, the soil or living organisms.

Decamethylcyclopentasiloxane (D5) fulfills the current criteria set forth under Annex XIII of the EU REACH Regulation for vPvB substances and was included in the candidate list of SVHCs. According to our knowledge of the state of the art, however, D5 cannot be compared with known PBT and/or vPvB substances. The interpretation of the available data by the silicone industry reveals that scientific evidence obtained from field tests essentially points out that D5 does not lead to biomagnification in aquatic and terrestrial food chains. In air, D5 is decomposed by naturally occurring processes in the atmosphere. D-residues which do not decompose in this way in the air are not expected to accumulate from the air in water, the soil or living organisms.

Octamethylcyclotetrasiloxane (D4) fulfills the current criteria set forth under Annex XIII of the EU REACH Regulation for PBT and vPvB substances and was included in the candidate list of SVHCs. According to our knowledge of the state of the art, however, D4 cannot be compared with known PBT and/or vPvB substances. The interpretation of the available data by the silicone industry reveals that scientific evidence obtained from field tests essentially points out that D4 does not lead to biomagnification in aquatic and terrestrial food chains. In air, D4 is decomposed by naturally occurring processes in the atmosphere. D-residues which do not decompose in this way in the air are not expected to accumulate from the air in water, the soil or living organisms.

#### 12.6. Other adverse effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# Product Name: egger flex/AB (60 Shore)

REF: 20840, 20841

Date of print: 19.09.2022 Date of last alteration: 19.09.2022

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Authorisations (REACH, annex XIV): Substances of very high concern, SVHC (REACH, article 59): Octamethylcyclotetrasiloxane

Restrictions on use (REACH, annex XVII): Entry 70, Entry 75

Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC



Page 9 of 10

# Product Name: egger flex/AB (60 Shore)

REF: 20840, 20841

Date of print: 19.09.2022 Date of last alteration: 19.09.2022

#### National regulatory information

Employment restrictions:Observe restrictions to employment for juveniles according to the ,juvenile<br/>work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50 % LD50: Lethal dose, 50 % CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50 % EL50: Effect loading, 50 % EC50: Effective Concentration 50 % ErC50: Effective Concentration 50 %, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter P. 20 (Table of terms and abbreviations)

R.20 (Table of terms and abbreviations).

Page 10 of 10

# Product Name: egger flex/AB (60 Shore)

REF: 20840, 20841

Date of print: 19.09.2022 Date of last alteration: 19.09.2022

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

- H226 Flammable liquid and vapour.
- H361f Suspected of damaging fertility.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)