




Product Name: egger LP/H lacquer antibac

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

egger LP/H lacquer antibac
UFI: 4P1U-79KQ-Q00A-PS25

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture

Ligth curing lacquer for use in audiology.

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor: egger Otoplastik+Labortechnik GmbH
Street/POB-No.: Aybühlweg 59
Postal code/city/country: 87439 Kempten/Germany
Telephone: +49 831 58113-60
Telefax: +49 831 58113-14
Internet: www.egger.online
E-mail: sales@egger.online

1.4. Emergency telephone number: +49 89 19240
Munich, Germany, toxicological dep. of the II. Med. Hospital)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Regulation (EC) No. 1272/2008

Hazard categories:
Flammable liquid: Flam. Liq. 2
Skin corrosion/irritation: Skin Irrit. 2
Serious eye damage/eye irritation: Eye Irrit. 2
Respiratory or skin sensitisation: Skin Sens. 1
Specific target organ toxicity - single exposure: STOT SE 3
Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:
Highly flammable liquid and vapour.
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.
Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazardous components for labelling


„methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate, MMA“
acrylic acid derivatives
aliphatic polyestertriurethane triacrylate
vinylester resin
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide



Product Name: egger LP/H lacquer antibac

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022



Signal word: Danger

Pictograms:



Hazard statements

- H225 Highly flammable liquid and vapour.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P391 Collect spillage.
 P403+P235 Store in a well-ventilated place. Keep cool.

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of acrylic/methacrylic resins with auxilliary matters.

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
80-62-6	“methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate, MMA”			20 - 70 %
	201-297-1	607-035-00-6		
	Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335			
	acrylic acid derivates			25 - 50 %
	Eye Irrit. 2, Skin Sens. 1A, Aquatic Chronic 3; H319 H317 H412			
	aliphatic polyestertriurethane triacrylate			5 - 20 %
	Skin Sens. 1A, Aquatic Chronic 4; H317 H413			



Product Name: egger LP/H lacquer antibac

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022

55818-57-0	vinylester resin		1 - < 5 %
	Skin Sens. 1; H317		
75980-60-8	diphenyl(2, 4, 6-trimethylbenzoyl)phosphine oxide		0,1 - 5 %
	278-355-8	015-203-00-X	
	Repr. 2, Skin Sens. 1B, Aquatic Chronic 2; H361f H317 H411		
3380-34-5	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan		< 1 %
	222-182-2	604-070-00-9	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H315 H319 H400 H410		

Full text of H and EUH phrases: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
		Specific concentration limits and M-factors	
3380-34-5	222-182-2	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan	< 1 %
		M akut; H400: M=100 M chron.; H410: M=100	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.

**Product Name: egger LP/H lacquer antibac**

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022


egger**5.2. Special hazards arising from the substance or mixture**

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk in case of fire.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e. g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - no smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: @0102.B010927. Pyrophoric or self-heating substances.

Further information on storage conditions


Keep only in the original container in a cool, dry and well-ventilated place, away from foodstuffs. Keep away from all kind of light. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).



Product Name: egger LP/H lacquer antibac

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022



7.3. Specific end use(s)

Lacquer for coating of earmoulds. For use by trained specialist staff.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
80-62-6	Methyl methacrylate	50	208		TWA (8 h)	WEL
		100	416		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: light yellow
 Odour: faintly like esters

		Test method
pH-Value:	not determined	
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	92 °C	DIN 51356
Flash point:	12 °C	DIN 51755



Product Name: egger LP/H lacquer antibac

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022



Flammability		
Solid:	not applicable	
Gas:	not applicable	
Explosive properties	The product is not: Explosive.	
Lower explosion limits:	2 vol. %	
Upper explosion limits:	12 vol. %	
Ignition temperature:	>400 °C	DIN 51794
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	>100 °C	
Oxidizing properties	Not oxidizing.	
Vapour pressure (at 20 °C):	40 hPa	
Vapour pressure (at 50 °C):	160 hPa	
Density (at 20 °C):	1.07 g/cm ³	DIN 51757
Water solubility (at 20 °C):	16 g/L	
Solubility in other solvents	not determined	
Partition coefficient:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	

9.2. Other information

Solid content: not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with: oxidising agents, radicals forming substances or heavy metal ions.

10.4. Conditions to avoid

Keep away from sources of heat (e. g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Ultra-violet light and daylight initiate polymerisation of the product. Therefore keep only in tightly closed containers away from any sources of light. Keep in a refrigerator at 2 °C - 25 °C / 36 °F - 77 °F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.



Product Name: egger LP/H lacquer antibac

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022



SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name		Exposure routes	Dose	Species	Source	Method
80-62-6	„methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate, MMA“						
	oral	LD50	7870 mg/kg	Rat			
	dermal	LD50	>5000 mg/kg	Rabbit			
	inhalative (4 h) vapour	LC50	78 mg/l	Rat			
	acrylic acid derivates						
	oral	LD50	2000 mg/kg	Rat			OECD 423
	dermal	LD50	2000 mg/kg	Rabbit			OECD 402
	aliphatic polyestertriurethane triacrylate						
	oral	LD50	2000 mg/kg	Rat	Lieferanten-SDB		OECD 423
	dermal	LD50	2000 mg/kg	Rabbit	Lieferanten-SDB		OECD 402
75980-60-8	diphenyl(2, 4, 6-trimethylbenzoyl)phosphine oxide						
	oral	LD50	>5000 mg/kg	Rat			
	dermal	LD50	>2000 mg/kg	Rat			
3380-34-5	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan						
	oral	LD50	>5000 mg/kg	Rat			OECD 401
	dermal	LD50	>6000 mg/kg	Rat			OECD 402

Irritation and corrosivity

Causes skin irritation. Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. („methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate, MMA“; acrylic acid derivates; aliphatic polyestertriurethane triacrylate; vinylester resin; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. („methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate, MMA“)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].



Product Name: egger LP/H lacquer antibac

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
80-62-6	“methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate, MMA”					
	Acute fish toxicity	LC50 >100 mg/l	96 h			
	acrylic acid derivates					
	Algae toxicity	NOEC 10 mg/l	72 d	Pseudokirchneriella subcapitata		OECD 201
	aliphatic polyestertriurethane triacrylate					
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna	Lieferanten-SDB	OECD 202
	Acute bacteria toxicity	(> 100 mg/l)		Pseudokirchneriella subcapitata		OECD 201
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide					
	Acute algae toxicity	ErC50 >2.01 mg/l	72 h	Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 3.53 mg/l	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(>1000 mg/l)	3 h	Activated sludge		
3380-34-5	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan					
	Acute fish toxicity	LC50 0.54 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203	
	Acute algae toxicity	ErC50 0.00161 mg/l	72 h	Desmodesmus subspicatus.		
	Acute crustacea toxicity	EC50 0.427 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
	Fish toxicity	NOEC 0.0341 mg/l	96 d	Oncorhynchus mykiss (Rainbow trout)	OPP 72-4	
	Crustacea toxicity	NOEC 0.04 mg/l	21 d	Daphnia magna (Big water flea)	OECD 211	
	Acute bacteria toxicity	(11 mg/l)	3 h	Activated sludge	OECD 209	

12.2. Persistence and degradability

The product has not been tested.


CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
		0-10 %	28	
	Not readily biodegradable (according to OECD criteria).			
3380-34-5	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan			
	BOD (% of ThOD).	37 %	28	OECD 301B/ISO 9439/EEC 92/69/V, C.4-C
	Not readily biodegradable (according to OECD criteria).			
	specific analysis	99.4 %	14	OECD 302B/ISO 9888/EEC 92/69/V, C.9



Product Name: egger LP/H lacquer antibac

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022



12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3.1

BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	47-55	Cyprinus carpio (Common Carp)	
3380-34-5	2,4,4'-trichloro-2'-hydroxy-diphenyl-ether, 5-chloro-2-(2,4-dichlorophenoxy)phenol, triclosan	4.157	Brachydanio rerio (zebra-fish)	OECD 305

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Not identified as PBT/vPvB substances.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 1866
14.2. UN proper shipping name:	Resin solution
14.3. Transport hazard class(es):	3
14.4. Packing group:	I
Hazard label:	3
Classification code:	F1
Limited quantity:	500 mL
Excepted quantity:	E3
Transport category:	1
Hazard No:	33
Tunnel restriction code:	D/E

**Product Name: egger LP/H lacquer antibac**

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022

Other applicable information (land transport)

Flammable liquid

Inland waterways transport (ADN)

14.1. UN number: UN 1866
14.2. UN proper shipping name: Resin solution
14.3. Transport hazard class(es): 3
14.4. Packing group: I
Hazard label: 3
Classification code: F1
Limited quantity: 500 mL
Excepted quantity: E3

Marine transport (IMDG)

14.1. UN number: UN 1866
14.2. UN proper shipping name: Resin solution
14.3. Transport hazard class(es): 3
14.4. Packing group: I
Hazard label: 3
Special Provisions: -
Limited quantity: 500 mL
Excepted quantity: E3
EmS: F-E, S-E

Other applicable information (marine transport)

Flash point: 12 °C c.c.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1866
14.2. UN proper shipping name: Resin solution
14.3. Transport hazard class(es): 3
14.4. Packing group: I
Hazard label: 3
Special Provisions: A3
Limited quantity Passenger: Forbidden
Passenger LQ: Forbidden
Excepted quantity: E3
IATA-packing instructions - Passenger: 351
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 361
IATA-max. quantity - Cargo: 30 L

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

**Product Name: egger LP/H lacquer antibac**

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 1012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment
Additional information: P5c

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D): 2 - obviously hazardous to water
Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50 %
LD50: Lethal dose, 50 %
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50 %
EL50: Effect loading, 50 %
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail



Product Name: egger LP/H lacquer antibac

REF: 30622, 30624, 306230

Date of print: 15.11.2022 Date of last alteration: 15.11.2022



 egger

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)