Product Name: egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

REF: 36950, 36951, 36952, 36957, 36958, 36959, 36970, 36971,

369512, 369522, 369572, 369582, 369592, 369702, 369712

Date of print: 30.04.2024 Date of last alteration: 30.04.2024



Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture

Earmould material for use in audiology.

## 1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor: egger Otoplastik+Labortechnik GmbH

Street/POB-No.: Aybühlweg 59

Postal code/city/country: 87439 Kempten/Germany

Telephone: +49 831 58113-60
Telefax: +49 831 58113-14
Internet: www.eggeronline.com
E-mail: sales@eggeronline.com

#### 1.4. Emergency telephone number: +49 89 19240

Emergency number: (Munich, Germany, toxicological dep. of the II. Med. Hospital)

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

**GB CLP Regulation** 

## **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

P501 Dispose of contents/container to according to local and applicable legislation of dispose of waste.

## Additional advice on labelling

According to Regulation (EC) 1272/2008, art.1 No. 5 (d) this product as a medical product must not be labelled!

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

Contains polydimethylsiloxane with functional groups. + fillers and pigment catalyst: additionally platinum complex compound.

Page 2 of 10

Product Name: egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

REF: 36950, 36951, 36952, 36957, 36958, 36959, 36970, 36971,

369512, 369522, 369572, 369582, 369592, 369702, 369712

Date of print: 30.04.2024 Date of last alteration: 30.04.2024



## **Hazardous components**

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
8042-47-5	paraffin oil			5 - < 20 %	
	232-455-8		01-2119487078-27		
	Asp. Tox. 1; H304				
556-67-2	Octamethylcyclotetrasiloxane		< 0.1 %		
	209-136-7	014-018-00-1	01-2119529238-36		
	Flam. Liq. 3, Repr. 2, Aquatic				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	
	Specific Conc. Limits, M-factors and ATE		
8042-47-5	232-455-8 paraffin oil		5 - < 20 %
	inhalation: LC50 = >5 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg		
556-67-2	209-136-7 Octamethylcyclotetrasiloxane		< 0.1 %
	inhalation: LC50 = 36 mg/l (vapours); dermal: LD50 = >2400 mg/kg; oral: LD50 = 4800 mg/kg M chron.; H410: M=10		

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

## After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Product Name: egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

REF: 36950, 36951, 36952, 36957, 36958, 36959, 36970, 36971,

369512, 369522, 369572, 369582, 369592, 369702, 369712

Date of print: 30.04.2024 Date of last alteration: 30.04.2024



Page 3 of 10

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

## Hints on joint storage

No special measures are necessary.

## 7.3. Specific end use(s)

Silicone material for use in audiology. For use by trained specialist staff.

Page 4 of 10

Product Name: egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

REF: 36950, 36951, 36952, 36957, 36958, 36959, 36970, 36971,

369512, 369522, 369572, 369582, 369592, 369702, 369712

Date of print: 30.04.2024 Date of last alteration: 30.04.2024



## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.2. Exposure controls

Individual protection measures, such as personal protective equipment Eye/face protection

Wear eye/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: NBR (Nitrile rubber).

## Skin protection

Use of protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour:

Odour: characteristic

		Test method			
Changes in the physical state					
Melting point/freezing point:	not determined				
Boiling point or initial boiling point and boiling range:	not determined				
Flash point:	>100 °C	DIN 51755			
Flammability					
Solid/liquid:	not determined				
Gas:	not applicable				
Explosive properties	The product is not: Explosive.				
Lower explosion limits:	not determined				
Upper explosion limits:	not determined				
Auto-ignition temperature:	>400 °C	DIN 51794			
Decomposition temperature:	>180 °C				
pH-Value:	not determined				
Viscosity / dynamic: (at 23 °C):	45000 mPa·s	BROOKFIELD			
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.				

Product Name: egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

REF: 36950, 36951, 36952, 36957, 36958, 36959, 36970, 36971,

369512, 369522, 369572, 369582, 369592, 369702, 369712

Date of print: 30.04.2024 Date of last alteration: 30.04.2024



Page 5 of 10

Solubility in other solvents	not determined	
Partition coefficient n-octanol/water:	not determined	
Vapour pressure: (at 20 °C):	<10 hPa	
Density (at 20 °C):	0.92 g/cm3	DIN 51757
Relative vapour density:	not determined	

#### 9.2. Other information

## Information with regard to physical hazard classes

Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Solid content: not determined Evaporation rate: not determined

#### **Further Information**

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Reacts with: Acids, alkalis, alcohols, powdered metals or metal oxides with release of hydrogen.

#### 10.4. Conditions to avoid

Temperatures > 150°C/ 302 °F.

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

In case of thermic decomposition hydrogen is released. At a temperature of approx. 150 °C/ 302 °F a small amount of formaldehyde can be released by oxidative degradation.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

Page 6 of 10

Product Name: egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

REF: 36950, 36951, 36952, 36957, 36958, 36959, 36970, 36971,

369512, 369522, 369572, 369582, 369592, 369702, 369712

Date of print: 30.04.2024 Date of last alteration: 30.04.2024



CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
8042-47-5	parafin oil				
	oral	LD50 >5000 mg/kg	Rat	OECD	
	dermal	LD50 >2000 mg/kg	Rabbit	OECD	
	inhalation (4 h) vapour	LD50 >5 mg/l	Rat	OECD	
556-67-2	Octamethylcyclotetrasiloxane				
	oral	LD50 >4800 mg/kg	Rat		OECD 401
	dermal	LD50 >2400 mg/kg	Rabbit		OECD 402
	inhalation (4 h) vapour	LC50 36 mg/l	Rat	GESTIS	OECD 403

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
8042-47-5	paraffin oil	'				
	Acute fish toxicity	LC50 >1000 mg/l	96 h	Leucisucus idus (olden orfe)	OECD	
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Pseudokirchneriella subcapitata	OECD	
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna (Big water flea)		

Page 7 of 10

Product Name: egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

REF: 36950, 36951, 36952, 36957, 36958, 36959, 36970, 36971,

369512, 369522, 369572, 369582, 369592, 369702, 369712

Date of print: 30.04.2024 Date of last alteration: 30.04.2024



#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Avaluation			
8042-47-5	paraffin oil			
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	31 %	28	
	Not readily biodegradable (according to OECD criteria)			
556-67-2	Octamethylcyclotetrasiloxane			
		3,7 %	29	
	Not readily biodegradable (according to OECD criteria)			

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

Not identivied as PBT/ vPvB substances.

Octamethylcyclotetrasiloxane (D4) fulfills the current criteria set forth under Annex XIII of the EU REACH Regulation for PBT and vPvB substances and was included in the candidate list of SVHCs. According to our knowledge of the state of the art, however, D4 cannot be compared with known PBT and/or vPvB substances.

The interpretation of the available data by the silicone industry reveals that scientific evidence obtained from field tests essentially points out that D4 does not lead to biomagnification in aquatic and terrestrial food chains.

In air, D4 is decomposed by naturally occurring processes in the atmosphere. D-residues which do not decompose in this way in the air are not expected to accumulate from the air in water, the soil or living organisms.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria..

## 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Page 8 of 10

Product Name: egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

REF: 36950, 36951, 36952, 36957, 36958, 36959, 36970, 36971,

369512, 369522, 369572, 369582, 369592, 369702, 369712

Date of print: 30.04.2024 Date of last alteration: 30.04.2024



## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59): Octamethylcyclotetrasiloxane

Restrictions on use (REACH, annex XVII):

Entry 70, Entry 75

Information according to 2012/18/EU

(SEVESO III): Not subject to 2012/18/EU (SEVESO III)

## **Additional information**

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

Product Name: egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

REF: 36950, 36951, 36952, 36957, 36958, 36959, 36970, 36971,

369512, 369522, 369572, 369582, 369592, 369702, 369712

Date of print: 30.04.2024 Date of last alteration: 30.04.2024



Page 9 of 10

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the ,juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50 %

LD50: Lethal dose, 50 %

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50 % EL50: Effect loading, 50 %

EC50: Effective Concentration 50 %

ErC50: Effective Concentration 50 %, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Page 10 of 10

Product Name: egger AQUA (red+blue, red, blue, yellow, green, orange, black, white)

REF: 36950, 36951, 36952, 36957, 36958, 36959, 36970, 36971,

369512, 369522, 369572, 369582, 369592, 369702, 369712

Date of print: 30.04.2024 Date of last alteration: 30.04.2024



#### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H361f Suspected of damaging fertility.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)